


Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions.






Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions. Interior Sealant is cosmetic in nature and only recommended if the shim stack is WINCO RESERVES THE RIGHT TO MODIFY OR CHANGE INFORMAT THIS BOOK WHEN DEEMED NECESSARY FOR PRODUCT IMP <u>4</u> D14-54R D14-54R D8-122-B Head / Jamb 식 Illation Anchor to hold peptor in position during window installation and in uniform sealant joint. w/ HD Closure 0 ď er piece min., 24" O.C. \Box Š See 1450 / 1450S / 3410 / 4410 / 4410S / 4500 / 4500S Window Section(s) for ЩШ ЩШ possible window frame configurations. 3/16 2 1/16 6 3/16 nterior Sealant is cosmetic in nature and only recommended if the shim stack is exposed to D14-54R Head / Jamb w/ HD Closure Installation Anchor to hold receptor in position during window installation and maintain uniform sealant joint 2 per piece min., 24" O.C WINCO WINDOW COMPANY, INC. 2027 TI ЩТ \Box Š Ö œ 1 1/4 D14-202 1 1/2 W.D. Sub-Sill Interior Sealant below Sub-Sill is cosmetic in nature and only recommended if the 15/16 D14-202 0 11/16 R.O shim stack is exposed to the building interior. SCALE 6"=1'-0"



Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions.





Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions. Interior Sealant is cosmetic in nature and WINCO RESERVES THE RIGHT TO MODIFY OR CHANGE INFORMATION WITHIN THIS BOOK WHEN DEEMED NECESSARY FOR PRODUCT IMPROVEMENT only recommended if he shim stack is 4 D14-554 Head / Jamb 0 œ \Box \geq See 1450 / 1450S / 3410 / 4410 / 4410S / 4500 / 4500S Window Section(s) for ЩШ ЩЩ possible window frame configurations. 3/16 1/4 4 3/8 Interior Sealant is cosmetic in nature and only recommended if the shim stack is exposed to the building interior. D14-554 Head / Jamb © WINCO WINDOW COMPANY, INC. 2021 TI Щ \Box Š Ö œ 1 1/4 D14-102 1 1/2 W.D. Sub-Sill 15/16 11/16 S R.O -Interior Sealant helow Sub-Sill is cosmetic in nature and only recommended if the shim stack is exposed to the building interior. SCALE 6"=1'-0"



Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions. Interior Sealant is cosmetic in nature and WINCO RESERVES THE RIGHT TO MODIFY OR CHANGE INFORMATION WITHIN THIS BOOK WHEN DEEMED NECESSARY FOR PRODUCT IMPROVEMENT only recommended if the shim stack is D14-454 Head / Jamb O. 77 T œ ≶ See 1450 / 1450S / 3410 / 4410 / 4410S / 4500 / 4500S Window Section(s) for ЩШ ЩШ possible window frame configurations. 1 9/16 1/4 Interior Sealant is cosmetic in 5 3/4 nature and only recommended if the shim stack is exposed to the building interior D14-454 ead / Jamb ПДП Interior Sealant below Sub-Sill is cosmetic in nature and only recommended if the © WINCO WINDOW, COMPANY, INC. 2021 \Box \leq D14-236 O Sub-Sill 껕 3/16 1 1/4 W.D. 1 15/16 R.O


SCALE 6"=1'-0"



Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions. Interior Sealant is cosmetic in nature and WINCO RESERVES THE RIGHT TO MODIFY OR CHANGE INFORMATION WITHIN THIS BOOK WHEN DEEMED NECESSARY FOR PRODUCT IMPROVEMENT only recommended if the shim stack is D14-454 Head / Jamb o. בעת. œ \Box ≶ See 1450 / 1450S / 3410 / 4410 / 4410S / 4500 / 4500S Window Section(s) for ЩШ ЩШ possible window frame configurations. 1 9/16 Interior Sealant is cosmetic in 5 3/4 nature and only recommended if the shim stack is exposed to the building interior D14-454 ead / Jamb ПДП TI Interior Sealant below Sub-Sill is cosmetic in nature and only recommended if the © WINCO WINDOW COMPANY, INC. 2021 \Box \leq D14-302 o Sub-Sill 껕 3/16 1 1/4 W.D. 1 15/16 S R.O. SCALE 6"=1'-0"



Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions





Note: Trim shown is a sampling of WINCO's offering. Not all shapes are held in stock and minimum quantity order may be required. Consult your local WINCO sales representative for other trims available. It is WINCO's recommendation to install all trim and materials per WINCO's installation instructions.

